



15.03.19 REL.212
NEWS AND ANTICIPATIONS
BRAIN BEE DIAGNOSTIC DATABASE

OVER 581
NEW SYSTEMS
RELEASED.
FIND OUT WHAT'S NEW
IN THE FOLLOWING PAGES



SINCE 1997

RONDO

PRO SERVICE TEAM



CITROËN: PUK

C4 CACTUS [2014]

PG. 03



IVECO: SERVICE

DAILY [2014]

PG. 10



FORD KA+

ABS
AIR CONDITIONING
BODY COMPUTER
DASHBOARD

EFI
POWERSTEERING
SRS (AIRBAG)

PG. 17



PREVIEW

REL.215 15.06.2019

- > KIA RIO [2017]
- > HIGHLIGHTS: SERVICE



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE





CONTACT YOUR DEALER TO ASK FOR A DEMO



CONNEX DIGITAL ADAS

1. TARGETLESS, TO REDUCE COSTS
2. DIGITAL SYSTEM, PATENTED
3. COMBINED WITH INNOVATIVE SOFTWARE, TO REDUCE TIMES AND HAVE THE MAXIMUM PRECISION



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



FORD SPECIALIST

FORD

MODEL	FUNCTION	NOTES
C-MAX [2010]	AUTOMATIC GEARBOX	
FOCUS [2004]	EFI (ELECTRONIC PETROL INJECTION)	
FOCUS [2011]	AUTOMATIC GEARBOX	
KA+ [2016]	ABS	
	BODY COMPUTER	
	DASHBOARD	
	EFI (ELECTRONIC PETROL INJECTION)	
	POWERSTEERING	
	SRS (AIRBAG)	
KUGA [2013]	EFI (ELECTRONIC PETROL INJECTION)	
TOURNEO CUSTOM [2013]	ABS	
TRANSIT CUSTOM [2013]	ABS	

PUK

CITROEN

MODEL	FUNCTION	NOTES
C4 CACTUS [2014]	PUK (PIN UNLOCK KEY)	ONLY CONNEX LINE

PEUGEOT

MODEL	FUNCTION	NOTES
2008 [2013] (A94)	PUK (PIN UNLOCK KEY)	ONLY CONNEX LINE
208 [2012]	PUK (PIN UNLOCK KEY)	ONLY CONNEX LINE
308 [2013] (T9)	PUK (PIN UNLOCK KEY)	ONLY CONNEX LINE



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



TOW BAR

AUDI

MODEL	FUNCTION	NOTES
A3 [2012] (8V)	TOW BAR INSTALLING: ELECTRIC MOVEMENT TOW BAR INSTALLING: MANUAL MOVEMENT TOW BAR UNINSTALLING	
A6 [2011] (4G)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
A7 [2010] (4G)	TOW BAR INSTALLING TOW BAR UNINSTALLING	

CITROEN

MODEL	FUNCTION	NOTES
C3 [2016] (B61)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
C4 CACTUS [2014]	TOW BAR INSTALLING TOW BAR UNINSTALLING	
C4 PICASSO [2006] (B58)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
C4 PICASSO [2013]	TOW BAR INSTALLING TOW BAR UNINSTALLING	
C4 [2010] (B71)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
DS4 [2011] (B75)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
DS5 [2011] (B81)	TOW BAR INSTALLING TOW BAR UNINSTALLING	

DS

MODEL	FUNCTION	NOTES
DS4 [2015]	TOW BAR INSTALLING TOW BAR UNINSTALLING	
DS5 [2015]	TOW BAR INSTALLING TOW BAR UNINSTALLING	

FIAT

MODEL	FUNCTION	NOTES
500X [2015] (334)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
TIPO [2015] (356)	TOW BAR INSTALLING TOW BAR UNINSTALLING	

JEEP

MODEL	FUNCTION	NOTES
RENEGADE [2014] (BU)	TOW BAR INSTALLING TOW BAR UNINSTALLING	



15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



TOW BAR

PEUGEOT

MODEL	FUNCTION	NOTES
2008 [2013] (A94)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
208 [2012]	TOW BAR INSTALLING TOW BAR UNINSTALLING	

RENAULT

MODEL	FUNCTION	NOTES
CAPTUR [2013] (X87)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
CLIO IV [2012] (X98)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
ESPACE V [2015] (XFC)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
KADJAR [2015] (XFE)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
MEGANE IV [2016] (XFB)	TOW BAR INSTALLING TOW BAR UNINSTALLING	
SCENIC IV [2016]	TOW BAR INSTALLING TOW BAR UNINSTALLING	
TALISMAN [2015] (XFD)	TOW BAR INSTALLING TOW BAR UNINSTALLING	

SEAT

MODEL	FUNCTION	NOTES
ATECA [2016]	TOW BAR INSTALLING: ELECTRIC MOVEMENT TOW BAR INSTALLING: MANUAL MOVEMENT TOW BAR UNINSTALLING	
LEON [2012] (5F)	TOW BAR INSTALLING: ELECTRIC MOVEMENT TOW BAR INSTALLING: MANUAL MOVEMENT TOW BAR UNINSTALLING	

START & STOP

ALFA ROMEO

MODEL	FUNCTION	NOTES
MITO [2008] (955)	GEAR NEUTRAL POSITION SENSOR ADAPTATION START/STOP	

PEUGEOT

MODEL	FUNCTION	NOTES
2 [2014] (F22/F23/F45/F46) X2 [2018] (F39)	TECHNICAL INFORMATION START/STOP	



15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



ADJUSTMENTS WHAT'S NEW ON REL.212

ALFA ROMEO MITO [2008]

- ADDITIVE DIESEL CONTROL / AD BLUE
- EGR VALVE ADAPTATION
- ENGINE OIL SERVICE RESET
- GEAR NEUTRAL POSITION SENSOR ADAPTATION
- INJECTOR CODING
- PARTICULATE FILTER SYSTEM
- SELF-LEARNING PARAMETERS RESET
- START/STOP
- THROTTLE VALVE ADAPTATION

BMW X2 [2018]

- EGR VALVE ADAPTATION
- INJECTOR CODING
- PARTICULATE FILTER SYSTEM
- SELF-LEARNING PARAMETERS RESET

FORD ECOSPORT [2014]

SERVICE

FORD FIESTA [2012]

REMOTE CONTROL CODING

FORD FIESTA [2017]

SERVICE

MINI COUNTRYMAN [2010]

- EGR VALVE ADAPTATION
- INJECTOR CODING
- PARTICULATE FILTER SYSTEM
- SELF-LEARNING PARAMETERS RESET

SEAT ATECA [2016]

- TOW BAR INSTALLING: ELECTRIC MOVEMENT
- TOW BAR INSTALLING: MANUAL MOVEMENT
- TOW BAR UNINSTALLING

VOLKSWAGEN TIGUAN [2016]

- TOW BAR INSTALLING: ELECTRIC MOVEMENT
- TOW BAR INSTALLING: MANUAL MOVEMENT
- TOW BAR UNINSTALLING



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

ALFA ROMEO

MODEL	FUNCTION	NOTES
GIULIA [2016] (952)	STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)	

AUDI

MODEL	FUNCTION	NOTES
A3 [2012] (8V)	ADAPTATION VALUES RESET BRAKE ROLLER TEST OPERATING MODE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN ECU CODING FRONT AXLE TRANSVERSE POSITION GREEN INDICATOR LIGHT FOR LANE ASSISTANT HIGH BEAMS USE RECOMMENDED INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON LANE ASSISTANT DISPLAY LANE ASSISTANT SETTING WITH TERMINAL 15 ON LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE LANE ASSISTANT: ACTIVATION STATUS LANE ASSISTANT: WARNING INTENSITY LANE ASSISTANT: WARNING MODE PRODUCTION MODE PRODUCTION MODE DEACTIVATION REAR AXLE TRANSVERSE POSITION ROAD SIGN DETECTION: FUSION MODE ROAD SIGN DISPLAY ON DASHBOARD STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) STEERING WHEEL VIBRATION TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS WINDSHIELD DEFOGGER FOR FRONT CAMERA YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE	
A4 [2015] (F4)	MATRIX HEADLIGHTS CALIBRATION	
A5 [2016] (F5)	STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)	
A6 [2011] (4G)	MATRIX HEADLIGHTS CALIBRATION	
A7 [2010] (4G)	STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) ECU CODING MISALIGNMENT ANGLE RESET ECU CODING MISALIGNMENT ANGLE RESET	



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

AUDI

MODEL
Q2 [2016] (GA)

FUNCTION
ADAPTATION VALUES RESET
BRAKE ROLLER TEST OPERATING MODE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE
DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN
ECU CODING
FRONT AXLE TRANSVERSE POSITION
GREEN INDICATOR LIGHT FOR LANE ASSISTANT
HIGH BEAMS USE RECOMMENDED
INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON
LANE ASSISTANT DISPLAY
LANE ASSISTANT SETTING WITH TERMINAL 15 ON
LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE
LANE ASSISTANT: ACTIVATION STATUS
LANE ASSISTANT: WARNING INTENSITY
LANE ASSISTANT: WARNING MODE
PRODUCTION MODE
PRODUCTION MODE DEACTIVATION
REAR AXLE TRANSVERSE POSITION
ROAD SIGN DETECTION: FUSION MODE
ROAD SIGN DISPLAY ON DASHBOARD
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
STEERING WHEEL VIBRATION
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS
WINDSHIELD DEFOGGER FOR FRONT CAMERA
YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE
MATRIX HEADLIGHTS CALIBRATION
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
MATRIX HEADLIGHTS CALIBRATION
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS

NOTES

Q5 [2017] (BY)

Q7 [2015] (4M)

TT [2014] (8S)



BrainBee[®]
WORKSHOP SOLUTIONS

MAHLE[®]

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

BMW

MODEL
1 [2011] (F20)

FUNCTION
AIR INTAKE SYSTEM ADAPTATION VALUES RESET
AUTOMATIC START-STOP (MSA) FUNCTION: INSTALLATION MODE DEACTIVATION
BATTERY REPLACEMENT REGISTRATION
CYLINDER BALANCING CHECKING
DIESEL PARTICULATE FILTER REPLACEMENT
ENGINE IDLE SPEED COMMAND
ENGINE IDLE SPEED SETTING
ENGINE SHUTDOWN COUNTERS RESET
EXHAUST EMISSION SYSTEM ADAPTATION VALUES RESET
EXHAUST GAS RECIRCULATION BYPASS FLAP ACTUATOR
EXHAUST GAS RECIRCULATION VALVE INSTALLATION POSITION
FUEL CONSUMPTION CORRECTION FACTOR SETTING
FUEL SYSTEM ADAPTATION VALUES RESET
FUEL SYSTEM PURGE
GLOW PLUG ADAPTATION VALUES RESET
INJECTOR CODING
INJECTORS CORRECTION VALUES RESET
LEARNING OF THE ANGULAR OFFSET BETWEEN THE CRANKSHAFT AND CAMSHAFT
MASS AIR SYSTEM ADAPTATION VALUES RESET
PARTICULATE FILTER FORCED REGENERATION REQUEST: MOVING VEHICLE
PARTICULATE FILTER FORCED REGENERATION: STATIONARY VEHICLE
PREFEEDING ELECTRIC FUEL PUMP SUBSTITUTION
RADIATOR ELECTRIC FAN
RADIATOR SHUTTER (IF INSTALLED)
STANDBY CURRENT CHECK
STARTER MOTOR REPLACEMENT
SWIRL FLAP ACTUATOR

NOTES

3 [2011] (F30)

AIR INTAKE SYSTEM ADAPTATION VALUES RESET
AUTOMATIC START-STOP (MSA) FUNCTION: INSTALLATION MODE DEACTIVATION
BATTERY REPLACEMENT REGISTRATION
CYLINDER BALANCING CHECKING
DIESEL PARTICULATE FILTER REPLACEMENT
ENGINE IDLE SPEED COMMAND
ENGINE IDLE SPEED SETTING
ENGINE SHUTDOWN COUNTERS RESET
EXHAUST EMISSION SYSTEM ADAPTATION VALUES RESET
EXHAUST GAS RECIRCULATION BYPASS FLAP ACTUATOR
EXHAUST GAS RECIRCULATION VALVE INSTALLATION POSITION
FUEL CONSUMPTION CORRECTION FACTOR SETTING
FUEL SYSTEM ADAPTATION VALUES RESET
FUEL SYSTEM PURGE
GLOW PLUG ADAPTATION VALUES RESET
INJECTOR CODING
INJECTORS CORRECTION VALUES RESET
LEARNING OF THE ANGULAR OFFSET BETWEEN THE CRANKSHAFT AND CAMSHAFT
MASS AIR SYSTEM ADAPTATION VALUES RESET
PARTICULATE FILTER FORCED REGENERATION REQUEST: MOVING VEHICLE
PARTICULATE FILTER FORCED REGENERATION: STATIONARY VEHICLE
PREFEEDING ELECTRIC FUEL PUMP SUBSTITUTION
RADIATOR ELECTRIC FAN
RADIATOR SHUTTER (IF INSTALLED)
STANDBY CURRENT CHECK
STARTER MOTOR REPLACEMENT
SWIRL FLAP ACTUATOR



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

BMW

MODEL
4 [2013] (F32)

FUNCTION
AIR INTAKE SYSTEM ADAPTATION VALUES RESET
AUTOMATIC START-STOP (MSA) FUNCTION: INSTALLATION MODE DEACTIVATION
BATTERY REPLACEMENT REGISTRATION
CYLINDER BALANCING CHECKING
DIESEL PARTICULATE FILTER REPLACEMENT
ENGINE IDLE SPEED COMMAND
ENGINE IDLE SPEED SETTING
ENGINE SHUTDOWN COUNTERS RESET
EXHAUST EMISSION SYSTEM ADAPTATION VALUES RESET
EXHAUST GAS RECIRCULATION BYPASS FLAP ACTUATOR
EXHAUST GAS RECIRCULATION VALVE INSTALLATION POSITION
FUEL CONSUMPTION CORRECTION FACTOR SETTING
FUEL SYSTEM ADAPTATION VALUES RESET
FUEL SYSTEM PURGE
GLOW PLUG ADAPTATION VALUES RESET
INJECTOR CODING
INJECTORS CORRECTION VALUES RESET
LEARNING OF THE ANGULAR OFFSET BETWEEN THE CRANKSHAFT AND CAMSHAFT
MASS AIR SYSTEM ADAPTATION VALUES RESET
PARTICULATE FILTER FORCED REGENERATION REQUEST: MOVING VEHICLE
PARTICULATE FILTER FORCED REGENERATION: STATIONARY VEHICLE
PREFEEDING ELECTRIC FUEL PUMP SUBSTITUTION
RADIATOR ELECTRIC FAN
RADIATOR SHUTTER (IF INSTALLED)
STANDBY CURRENT CHECK
STARTER MOTOR REPLACEMENT
SWIRL FLAP ACTUATOR

NOTES

5 [2010] (F10)

AIR INTAKE SYSTEM ADAPTATION VALUES RESET
AUTOMATIC START-STOP (MSA) FUNCTION: INSTALLATION MODE DEACTIVATION
BATTERY REPLACEMENT REGISTRATION
CYLINDER BALANCING CHECKING
DIESEL PARTICULATE FILTER REPLACEMENT
ENGINE IDLE SPEED COMMAND
ENGINE IDLE SPEED SETTING
ENGINE SHUTDOWN COUNTERS RESET
EXHAUST EMISSION SYSTEM ADAPTATION VALUES RESET
EXHAUST GAS RECIRCULATION BYPASS FLAP ACTUATOR
EXHAUST GAS RECIRCULATION VALVE INSTALLATION POSITION
FUEL CONSUMPTION CORRECTION FACTOR SETTING
FUEL SYSTEM ADAPTATION VALUES RESET
FUEL SYSTEM PURGE
GLOW PLUG ADAPTATION VALUES RESET
INJECTOR CODING
INJECTORS CORRECTION VALUES RESET
LEARNING OF THE ANGULAR OFFSET BETWEEN THE CRANKSHAFT AND CAMSHAFT
MASS AIR SYSTEM ADAPTATION VALUES RESET
PARTICULATE FILTER FORCED REGENERATION REQUEST: MOVING VEHICLE
PARTICULATE FILTER FORCED REGENERATION: STATIONARY VEHICLE
PREFEEDING ELECTRIC FUEL PUMP SUBSTITUTION
RADIATOR ELECTRIC FAN
RADIATOR SHUTTER (IF INSTALLED)
STANDBY CURRENT CHECK
STARTER MOTOR REPLACEMENT
SWIRL FLAP ACTUATOR



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

CITROEN

MODEL	FUNCTION	NOTES
C3 AIRCROSS [2017] (A88)	DYNAMIC FRONT CAMERA CALIBRATION (MOVING VEHICLE) INSTRUCTIONS FOR DISASSEMBLY/REASSEMBLY OF THE MULTIFUNCTION CAMERA INSTRUCTIONS FOR MULTIFUNCTION CAMERA REPLACEMENT STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) SYMBOL FOR SPEED LIMIT ROAD SIGN FUNCTION	
C3 [2016] (B61)	DYNAMIC FRONT CAMERA CALIBRATION (MOVING VEHICLE) INSTRUCTIONS FOR DISASSEMBLY/REASSEMBLY OF THE MULTIFUNCTION CAMERA INSTRUCTIONS FOR MULTIFUNCTION CAMERA REPLACEMENT STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) SYMBOL FOR SPEED LIMIT ROAD SIGN FUNCTION	
C4 CACTUS [2014]	DYNAMIC FRONT CAMERA CALIBRATION (MOVING VEHICLE) INSTRUCTIONS FOR DISASSEMBLY/REASSEMBLY OF THE MULTIFUNCTION CAMERA INSTRUCTIONS FOR MULTIFUNCTION CAMERA REPLACEMENT STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) SYMBOL FOR SPEED LIMIT ROAD SIGN FUNCTION	
C4 SPACETOURER [2018]	DYNAMIC FRONT CAMERA CALIBRATION (MOVING VEHICLE) INSTRUCTIONS FOR DISASSEMBLY/REASSEMBLY OF THE MULTIFUNCTION CAMERA INSTRUCTIONS FOR MULTIFUNCTION CAMERA REPLACEMENT STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) SYMBOL FOR SPEED LIMIT ROAD SIGN FUNCTION	
SPACETOURER [2016] (K0)	DYNAMIC FRONT CAMERA CALIBRATION (MOVING VEHICLE) INSTRUCTIONS FOR DISASSEMBLY/REASSEMBLY OF THE MULTIFUNCTION CAMERA INSTRUCTIONS FOR MULTIFUNCTION CAMERA REPLACEMENT STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) SYMBOL FOR SPEED LIMIT ROAD SIGN FUNCTION	
XSARA [1997] (N6)	ANALOGIC INDICATORS RESET ENGINE OIL TEMPERATURE INDICATOR GEAR LEVER LAMPS OIL LEVEL INDICATOR RESETTING ODOMETER	

IVECO

MODEL	FUNCTION	NOTES
DAILY [2014]	ALARM SIREN ANTI-THEFT SYSTEM LED BODY CONTROL MODULE (BCM): CRANKING RELAY BRAKE LIGHTS CENTER STOP LIGHT CENTRAL LOCKING: DOORS LOCKING CENTRAL LOCKING: DOORS UNLOCK CENTRAL LOCKING: LATERAL DOORS LOCK RELAY CENTRAL LOCKING: REAR DOORS LOCK RELAY DRIVER POWER WINDOW: CLOSING DRIVER POWER WINDOW: OPENING EXTERIOR MIRRORS: MIRRORS HEATING FOG LIGHTS FRONT CEILING LAMP FRONT WIPER: SPEED 1 FRONT WIPER: SPEED 2 HAZARD LIGHTS LED HEAD LAMP WASHER HIGH BEAM LIGHTS HORN	



BrainBee®
WORKSHOP SOLUTIONS



15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

IVECO

MODEL
DAILY [2014]

FUNCTION
LANE DEPARTURE WARNING SYSTEM BUTTON LED
LEFT DIRECTION INDICATORS
LEFT SIDELIGHT
LOW BEAM LIGHTS
MAINTENANCE: MAINTENANCE INTERVAL SETTING
MAINTENANCE: MAINTENANCE MODE DEACTIVATION
NIGHT LIGHTING
PASSENGER POWER WINDOW: CLOSING
PASSENGER POWER WINDOW: OPENING
PLATE LIGHTS
POWER TAKE OFF (PTO) ENGAGE CONFIRM LAMP
REAR CEILING LAMP
REAR DOORS STATUS LED
REAR FOG LIGHTS
REAR LEFT READING LIGHT
REAR RIGHT READING LIGHT
REAR SPOT LAMP
REAR WINDOW DEFROST SYSTEM LED
REAR WINDOW HEATER

NOTES

RESET SERVICE

REVERSE MOTION LIGHTS
RIGHT DIRECTION INDICATORS
RIGHT SIDELIGHT
STOP/START BUTTON LED
VEHICLE MOVING STATUS RELAY
VEHICLE SIDE MARKER LIGHTS
WINDSHIELD WASHER SYSTEM PUMP

MERCEDES BENZ

MODEL
A [2004] (169)

FUNCTION
DIESEL PARTICULATE FILTER REPLACEMENT
DIESEL PARTICULATE FILTER TEACH-IN (USED)
PARTICULATE FILTER FORCED REGENERATION (VEHICLE MOVED)
DIESEL PARTICULATE FILTER REPLACEMENT
DIESEL PARTICULATE FILTER TEACH-IN (USED)
PARTICULATE FILTER FORCED REGENERATION (VEHICLE MOVED)

NOTES

B [2005] (245)

OPEL

MODEL
ASTRA J [2009]

FUNCTION
HALOGEN HIGH BEAM LIGHTS (IF PRESENT)
LEFT LOW BEAM LAMP (HALOGEN)
RIGHT LOW BEAM LAMP (HALOGEN)
KEY CODING

NOTES

ZAFIRA C [2011]



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

SEAT

MODEL
ATECA [2016]

FUNCTION
ADAPTATION VALUES RESET
BRAKE ROLLER TEST OPERATING MODE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE
DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN
ECU CODING
FRONT AXLE TRANSVERSE POSITION
GREEN INDICATOR LIGHT FOR LANE ASSISTANT
HIGH BEAMS USE RECOMMENDED
INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON
LANE ASSISTANT DISPLAY
LANE ASSISTANT SETTING WITH TERMINAL 15 ON
LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE
LANE ASSISTANT: ACTIVATION STATUS
LANE ASSISTANT: WARNING INTENSITY
LANE ASSISTANT: WARNING MODE
PRODUCTION MODE
PRODUCTION MODE DEACTIVATION
REAR AXLE TRANSVERSE POSITION
ROAD SIGN DETECTION: FUSION MODE
ROAD SIGN DISPLAY ON DASHBOARD
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
STEERING WHEEL VIBRATION
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS
WINDSHIELD DEFOGGER FOR FRONT CAMERA
YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE

NOTES

LEON [2012] (5F)

ADAPTATION VALUES RESET
BRAKE ROLLER TEST OPERATING MODE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE
DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN
ECU CODING
FRONT AXLE TRANSVERSE POSITION
GREEN INDICATOR LIGHT FOR LANE ASSISTANT
HIGH BEAMS USE RECOMMENDED
INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON
LANE ASSISTANT DISPLAY
LANE ASSISTANT SETTING WITH TERMINAL 15 ON



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

SEAT

MODEL
LEON [2012] (5F)

FUNCTION
LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE
LANE ASSISTANT: ACTIVATION STATUS
LANE ASSISTANT: WARNING INTENSITY
LANE ASSISTANT: WARNING MODE
PRODUCTION MODE
PRODUCTION MODE DEACTIVATION
REAR AXLE TRANSVERSE POSITION
ROAD SIGN DETECTION: FUSION MODE
ROAD SIGN DISPLAY ON DASHBOARD
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
STEERING WHEEL VIBRATION
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS
WINDSHIELD DEFOGGER FOR FRONT CAMERA
YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE

NOTES

SKODA

MODEL
KAROQ [2017] (NU)
KODIAQ [2017]

FUNCTION
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
ADAPTATION VALUES RESET
BRAKE ROLLER TEST OPERATING MODE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE
DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN
ECU CODING
FRONT AXLE TRANSVERSE POSITION
GREEN INDICATOR LIGHT FOR LANE ASSISTANT
HIGH BEAMS USE RECOMMENDED
INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON
LANE ASSISTANT DISPLAY
LANE ASSISTANT SETTING WITH TERMINAL 15 ON
LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE
LANE ASSISTANT: ACTIVATION STATUS
LANE ASSISTANT: WARNING INTENSITY
LANE ASSISTANT: WARNING MODE
PRODUCTION MODE
PRODUCTION MODE DEACTIVATION
REAR AXLE TRANSVERSE POSITION
ROAD SIGN DETECTION: FUSION MODE
ROAD SIGN DISPLAY ON DASHBOARD
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
STEERING WHEEL VIBRATION
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS
WINDSHIELD DEFOGGER FOR FRONT CAMERA
YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS

NOTES

OCTAVIA [2013] (5E)

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

SKODA

MODEL	FUNCTION	NOTES
SUPERB [2015] (3V)	STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS	

VAUXHALL

MODEL	FUNCTION	NOTES
ASTRA J [2009]	HALOGEN HIGH BEAM LIGHTS (IF PRESENT) LEFT LOW BEAM LAMP (HALOGEN) RIGHT LOW BEAM LAMP (HALOGEN)	
ZAFIRA C [2011]	KEY CODING	

VOLKSWAGEN

MODEL	FUNCTION	NOTES
ARTEON [2017]	ADAPTATION VALUES RESET BRAKE ROLLER TEST OPERATING MODE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN ECU CODING FRONT AXLE TRANSVERSE POSITION GREEN INDICATOR LIGHT FOR LANE ASSISTANT HIGH BEAMS USE RECOMMENDED INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON LANE ASSISTANT DISPLAY LANE ASSISTANT SETTING WITH TERMINAL 15 ON LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE LANE ASSISTANT: ACTIVATION STATUS LANE ASSISTANT: WARNING INTENSITY LANE ASSISTANT: WARNING MODE PRODUCTION MODE PRODUCTION MODE DEACTIVATION REAR AXLE TRANSVERSE POSITION ROAD SIGN DETECTION: FUSION MODE ROAD SIGN DISPLAY ON DASHBOARD STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) STEERING WHEEL VIBRATION WINDSHIELD DEFOGGER FOR FRONT CAMERA YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE	
GOLF VII SPORTSVAN [2014]	TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS	
GOLF VII [2012] (5G)	TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS	
PASSAT [2014] (3G)	STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET) TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS	

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



NEW CONTENT ON ALREADY ISSUED SYSTEMS

VOLKSWAGEN

MODEL
T-ROC [2018] (A1)

FUNCTION
ADAPTATION VALUES RESET
BRAKE ROLLER TEST OPERATING MODE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 1, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 2, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 3, Z-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, X-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Y-COORDINATE
CALIBRATION TARGET POSITION: TARGET 1, CALIBRATION MARK 4, Z-COORDINATE
DRIVER WARNING, RISK OF COLLISION WITH PEDESTRIAN
ECU CODING
FRONT AXLE TRANSVERSE POSITION
GREEN INDICATOR LIGHT FOR LANE ASSISTANT
HIGH BEAMS USE RECOMMENDED
INTERVENTION MOMENT PERSONALIZATION AT TERMINAL 15 ON
LANE ASSISTANT DISPLAY
LANE ASSISTANT SETTING WITH TERMINAL 15 ON
LANE ASSISTANT SPEED THRESHOLD DURING TOWING MODE
LANE ASSISTANT: ACTIVATION STATUS
LANE ASSISTANT: WARNING INTENSITY
LANE ASSISTANT: WARNING MODE
PRODUCTION MODE PRODUCTION MODE DEACTIVATION
REAR AXLE TRANSVERSE POSITION
ROAD SIGN DETECTION: FUSION MODE
ROAD SIGN DISPLAY ON DASHBOARD
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
STEERING WHEEL VIBRATION
WINDSHIELD DEFOGGER FOR FRONT CAMERA
YELLOW INDICATOR LIGHT FOR DIRECTIONAL STABILIZATION ASSISTANCE
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS
STATIC FRONT CAMERA CALIBRATION (STATIONARY VEHICLE WITH TARGET)
TIRE PRESSURE MONITORING SYSTEM: TIRE TYPE
TIRE PRESSURE MONITORING SYSTEM: WARNING THRESHOLDS

NOTES

TIGUAN [2016] (AD)

TOURAN [2015]

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



- FAULTS READING AND ERASURE
- PARAMETERS AND STATUS READING
- ACTIVATIONS
- ADJUSTMENTS

UPDATE

ALFA ROMEO

MODEL	TYPE				NOTES
MITO [2008] (955)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■

AUDI

MODEL	TYPE				NOTES
A6 [2011] (4G)	ADAPTIVE CRUISE CONTROL	■	■	■	■
A7 [2010] (4G)	ADAPTIVE CRUISE CONTROL	■	■	■	■
Q2 [2016] (GA)	ADAPTIVE CRUISE CONTROL	■	■	■	■

BMW

MODEL	TYPE				NOTES
1 [2011] (F20)	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	■
2 [2014] (F22/F23/F45/F46)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■
3 [2011] (F30)	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	■
4 [2013] (F32)	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	■
	BODY COMPUTER	■	■	■	■
	LIGHTS SYSTEM	■	■	■	■
	POWERSTEERING	■	■	■	■
X1 [2015] (F48)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■
	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	■
X2 [2018] (F39)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■
	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	■

CITROEN

MODEL	TYPE				NOTES
BERLINGO 2 [2008] (B9)	PARKING ASSISTANCE SYSTEM	■	■	■	■
C3 [2016] (B61)	ADDITIVE DIESEL CONTROL	■	■	■	■
	AIR CONDITIONING	■	■	■	■
	BATTERY CONTROL SYSTEM	■	■	■	■
C4 CACTUS [2014]	ADDITIVE DIESEL CONTROL	■	■	■	■
SPACETOURER [2016] (K0)	TOW BAR	■	■	■	■

FIAT

MODEL	TYPE				NOTES
500L [2012] (330)	ABS	■	■	■	■
	BODY COMPUTER	■	■	■	■
	DASHBOARD	■	■	■	■
	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■
	POWERSTEERING	■	■	■	■
	SRS (AIRBAG)	■	■	■	■
TIPO [2015] (356)	PARKING ASSISTANCE SYSTEM	■	■	■	■



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



- FAULTS READING AND ERASURE
- PARAMETERS AND STATUS READING
- ACTIVATIONS
- ADJUSTMENTS

UPDATE

NISSAN

MODEL	TYPE				NOTES
LEAF [2011] (ZE0)	ABS	■	■	■	
	AUTOMATIC GEARBOX	■	■	■	
	BATTERY CONTROL SYSTEM	■	■	■	
	BODY COMPUTER	■	■	■	
	CHARGER SYSTEM	■	■	■	
	DASHBOARD	■	■	■	
	ELECTRIC MOTOR	■	■	■	
	POWERSTEERING	■	■	■	
	SRS (AIRBAG)	■	■	■	
	UNDERHOOD ELECTRICAL MODULE	■	■	■	

OPEL

MODEL	TYPE				NOTES
MERIVA A [2002]	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	

PEUGEOT

MODEL	TYPE				NOTES
3008 [2009] (T8)	AUTOMATIC GEARBOX	■	■	■	
PARTNER TEPEE [2008] (B9)	PARKING ASSISTANCE SYSTEM	■	■	■	
TRAVELLER [2016] (K0)	TOW BAR	■	■	■	

RENAULT

MODEL	TYPE				NOTES
CAPTUR [2013] (X87)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	
ZOE [2013] (X10)	BATTERY CONTROL SYSTEM	■	■	■	
	BODY COMPUTER	■	■	■	
	CHARGER SYSTEM	■	■	■	
	DASHBOARD	■	■	■	
	ELECTRIC MOTOR	■	■	■	

SEAT

MODEL	TYPE				NOTES
ARONA [2017] (KJ)	ADAPTIVE CRUISE CONTROL	■	■	■	
ATECA [2016]	ADAPTIVE CRUISE CONTROL	■	■	■	
IBIZA [2008] (6J)	STEERING ANGLE SENSOR	■	■	■	
IBIZA [2018] (KJ)	ADAPTIVE CRUISE CONTROL	■	■	■	



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



- FAULTS READING AND ERASURE
- PARAMETERS AND STATUS READING
- ACTIVATIONS
- ADJUSTMENTS

UPDATE

SKODA

MODEL	TYPE				NOTES
FABIA [2014] (NJ)	STEERING ANGLE SENSOR	■	■		
KAROQ [2017] (NU)	ADAPTIVE CRUISE CONTROL	■	■	■	
KODIAQ [2017]	ADAPTIVE CRUISE CONTROL	■	■	■	

SMART

MODEL	TYPE				NOTES
FORTWO [2014] (C453)	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	

TOYOTA

MODEL	TYPE				NOTES
PROACE [2016] (K0)	TOW BAR	■	■	■	

VAUXHALL

MODEL	TYPE				NOTES
MERIVA A [2002]	EFI (ELECTRONIC PETROL INJECTION)	■	■	■	

VOLKSWAGEN

MODEL	TYPE				NOTES
AMAROK [2010] [2H]	STEERING ANGLE SENSOR	■	■		
CARAVELLE T6 [2015] (SG)	PARKING ASSISTANCE SYSTEM	■	■	■	
	STEERING ANGLE SENSOR	■	■		
MULTIVAN T6 [2015] (SG)	PARKING ASSISTANCE SYSTEM	■	■	■	
	STEERING ANGLE SENSOR	■	■		
PASSAT CC [2008] (35)	TYRE PRESSURE MONITORING SYSTEM (TPMS)	■	■		
PASSAT [2011] (36)	TYRE PRESSURE MONITORING SYSTEM (TPMS)	■	■		
POLO [2009] (6R)	STEERING ANGLE SENSOR	■	■		
POLO [2018] (AW)	ADAPTIVE CRUISE CONTROL	■	■	■	
TIGUAN [2007] (5N)	TYRE PRESSURE MONITORING SYSTEM (TPMS)	■	■		
TIGUAN [2016] (AD)	ADAPTIVE CRUISE CONTROL	■	■	■	
TOURAN [2015]	ADAPTIVE CRUISE CONTROL	■	■	■	
TRANSPORTER T6 [2015]	PARKING ASSISTANCE SYSTEM	■	■	■	
	STEERING ANGLE SENSOR	■	■		



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®

15.03.19 REL.212

NEWS AND ANTICIPATIONS

BRAIN BEE DIAGNOSTIC DATABASE



- FAULTS READING AND ERASURE
- PARAMETERS AND STATUS READING
- ACTIVATIONS
- ADJUSTMENTS

UPDATE

CITROEN

MODEL	TYPE				NOTES
BERLINGO 2 [2008] (B9)	PARKING ASSISTANCE SYSTEM	■	■	■	■
JUMPY [2016] (K0)	TOW BAR	■	■	■	■

FORD

MODEL	TYPE				NOTES
TRANSIT CUSTOM [2013]	ABS	■	■	■	■
	DASHBOARD	■	■	■	■
	SRS (AIRBAG)	■	■	■	■

MERCEDES BENZ

MODEL	TYPE				NOTES
SPRINTER [2006] (906)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■
V [2003] (639)	EDI (ELECTRONIC DIESEL INJECTION)	■	■	■	■
V [2014] (447)	DASHBOARD	■	■	■	■

PEUGEOT

MODEL	TYPE				NOTES
EXPERT [2016](K0)	TOW BAR	■	■	■	■
PARTNER [2008] (B9)	PARKING ASSISTANCE SYSTEM	■	■	■	■

RENAULT

MODEL	TYPE				NOTES
ZOE [2013] (X10)	UNDERHOOD ELECTRICAL MODULE	■	■	■	■

TOYOTA

MODEL	TYPE				NOTES
PROACE [2016] (K0)	TOW BAR	■	■	■	■

VOLKSWAGEN

MODEL	TYPE				NOTES
AMAROK [2010] [2H]	STEERING ANGLE SENSOR	■	■	■	■
CARAVELLE T6 [2015] (SG)	PARKING ASSISTANCE SYSTEM	■	■	■	■
	STEERING ANGLE SENSOR	■	■	■	■
MULTIVAN T6 [2015] (SG)	PARKING ASSISTANCE SYSTEM	■	■	■	■
	STEERING ANGLE SENSOR	■	■	■	■
TRANSPORTER T6 [2015]	PARKING ASSISTANCE SYSTEM	■	■	■	■
	STEERING ANGLE SENSOR	■	■	■	■



BrainBee®
WORKSHOP SOLUTIONS

MAHLE®